

# Applying for and using extinctionrebellion.u k email accounts

- [Applying for an @extinctionrebellion.uk email account](#)
- [Logging in to your XR email account via Webmail](#)
- [Logging in via an external email client](#)
- [Using Email Folders](#)
- [Plus addressing](#)
- [Forwarding and filtering @extinctionrebellion.uk emails](#)
- [Email account queries & help](#)
- [Importing and exporting contacts from webmail](#)

# Applying for an @extinctionrebellion.uk email account

This page explains which groups are eligible for XR email addresses, and how groups can apply.

## Is your group eligible?

The following types of group may be issued with @extinctionrebellion.uk email addresses :

- region/nation groups
- local groups
- region/nation working groups
- local working groups only if they are demonstrably large, active and well organised - otherwise they should use a 'plus address' folder on their parent group address (see below)
- UK level working groups

Addresses cannot be issued to:

- individuals
- affinity groups
- any groups lacking a corresponding record on the Communications Hub (see below)

## Is your group on the 'Communications Hub'?

Addresses can only be issued to groups whose existence has been recorded on the [XR UK Communications Hub](#) since we<sup>1</sup> use the Hub to verify requests. If your group is not yet listed you should ask your 'Group Admin' or the 'Group Admin' of your parent circle<sup>3</sup> to help with this.

## Are you personally on the 'Communications Hub'?

The applicant should be personally listed on the Hub as holding a core role<sup>2</sup> in the group requesting an email. If you're not yet listed you should ask your 'Group Admin' or the 'Group Admin' of your parent circle<sup>3</sup> to help with this (more [here](#)).

# How to apply

If you're happy that you/your group meet the above criteria please make your request with a message to [this chat channel](#) (on XR's Mattermost).

If you need an address urgently but are unable to immediately fulfil all the above criteria, please ask for advice in the above channel anyway: we may be able to find a workaround.

## Footnotes:

1. Who is 'we'? Your-group@extinctionrebellion.uk email addresses are administered by the [Digital Discussions Applications Team](#)
2. A 'core role' would be any of 'External Co-ordinator', 'Internal Co-ordinator' or 'Group Admin'.
3. 'Parent circle': For local groups, the 'parent circle' would be your regional group

---

This page has been contributed by the [Digital Discussions Applications Team](#). February 2023.

# Logging in to your XR email account via Webmail

- In your browser, enter the URL <https://kennebec-lon.krystal.uk:2096/> that was provided with your login details into the location bar. You should see a screen like the one pictured below. Note that many organisations use identical looking log-in screens, so make sure you've entered the correct URL to get here.



Email Address

Password

Log in

[العربية](#) [čeština](#) [dansk](#) [Deutsch](#) [Ελληνικά](#) [español](#) [español latinoamericano](#) [español de España](#) ...

- Enter your email address. Do not enter a plus address here (e.g. [trumpton+outreach@extinctionrebellion.uk](#); see [this page](#) for more on plus addresses), just enter the main address (eg: [trumpton@extinctionrebellion.uk](#)).
- Enter your account password.
- If you don't immediately see your inbox, click on 'Open' under 'Roundcube'. You may wish to select the 'Open my inbox when I log in' tick box in order to skip this step in future.

The Horde webmail application has been removed in cPanel & WHM version 108. All Horde email, contacts, and calendars will be automatically migrated to Roundcube. For more information, read our [cPanel Deprecation Plan documentation](#).

## Open your inbox

roundcube  
open source webmail software

[Open](#)☐ Open my inbox when I log in

## Set up email on your device

Select the device you will use:

Apple® (iPhone®, iPad®)

Enter an email address that you can access from your device:

Example: user@example.com

Select the configurations that you would like to set up:

☒ Email ☒ Calendar ☒ Contacts[Send](#)[Automatically configure my device](#)

## Manage Your Inbox

[Autosponders](#)[Email Filters](#)[Forwarders](#)

**Click here to open inbox**

This page has been contributed by the [Digital Discussions Applications Team](#).

# Logging in via an external email client

The most secure way to access your email account is by using the webmail interface via your browser (see [this page](#)). This avoids mail being unnecessarily downloaded to your device which could be a problem should your device ever find itself in the wrong hands! If you find handling the login details for webmail difficult and/or time consuming, please consider using a password vault such as [KeePassXC](#) or [Bitwarden](#)<sup>1</sup> which are capable of automatically filling in login page details.

However, if you do need to have external access, here's some guidance on how to set it up on various services...

## iOS for iPhone/iPad/iPod and

## MacOS Mail.app and

## Windows Live Mail

- Log into your @extinctionrebellion.uk or @rebellion.earth email account<sup>2</sup> webmail from the device upon which you want to set up external access (see [this page](#))
- You should see a page with 'Webmail' written at the top left. If not, then you're probably in the 'RoundCube' webmail interface, in which case click on the 'CP Webmail' button at the bottom of the left menu to get back to the main CP Webmail page.
- Go to the bottom of the CP Webmail page (with 'Webmail' at the top) and click on 'Configure Mail Client' under 'Other Webmail Features'.
- For iOS for iPhone/iPad/iPod and MacOS Mail.app: Click on the "IMAP over SSL/TLS" link to start the automated set-up on your device.
- For Windows Live Mail: You can choose between IMAP (synchronised) and POP3 (non-synchronised) set-up options. Microsoft describe the difference [here](#). Unless your device is likely to be the only one accessing the email account you'll probably want to use IMAP. Click on either "IMAP over SSL/TLS" or "POP3 over SSL/TLS" to start the relevant automated set-up.

## Mozilla Thunderbird

Assuming you already have Thunderbird installed on your computer, Mozilla provide instructions for setting up account access [here](#). Check our "Find the 'mail client manual settings' from your @extinctionrebellion.uk email account" [section below](#) so that you know what to enter into Thunderbird.

## Gmail

Please consider whether you really want to give Google access to your XR email account. Whilst Google security against intruders is good enough, the problem lies within. Google harvests your (and your correspondent's) data. Gmail is free because *you are the product*. But if you must...

Note that Gmail doesn't provide IMAP access (only POP3), so changes made on your device (eg: deleting an email) will not automatically be synchronised with the main @extinctionrebellion.uk (C-panel) account and vice-versa.

### 1) Receiving via Gmail

To set up receiving your @extinctionrebellion.uk mail in your Google account:

- In a new browser tab open your Gmail account
- Click on settings 'cog' icon near avatar
- From the 'quick settings' menu click on 'See all settings'
- Click on the 'Accounts & Import' tab
- Next to 'check mail from other accounts' click on 'Add a mail account'
- In the pop-up box enter your full @extinctionrebellion.uk email address and click 'next'
- On the next page the only available option (POP3) is already selected. Click 'next'
- On the next page: Enter your full @extinctionrebellion.uk email address as your username
- The pop server name box should contain 'kennebec-lon.krystal.uk' and the drop-down '995'
- Tick the 4 boxes as per your requirements and confirm
- When the box disappears you should now see your @extinctionrebellion.uk email address next to the 'check mail from other accounts' section of the 'Accounts & Import' tab. Or the box may say "You can now retrieve mail from this account. Would you also like to be able to send mail as xxxxx@xxxxx?", in which case you may want to click 'Yes, I want to be able to send mail as xxxxx@xxxxx'

### 2) Sending via Gmail

To set up sending your @extinctionrebellion.uk mail from your google account:

- In a new browser tab open your Gmail account
- Click on settings 'cog' icon near your avatar
- From the 'quick settings' menu click on 'See all settings'
- Click on the 'Accounts & Import' tab
- Next to 'Send mail as' click on 'Add another email address'

- In the pop-up box entitled 'Add another email address that you own' enter the name that you want to be shown on outgoing mail and your @extinctionrebellion.uk email address
- Leave the 'Treat as alias box ticked' and click on 'Next Step'
- On the next page, change the entry in 'SMTP' server to 'kennebec-lon.krystal.uk'
- Select port '465' from the drop-down menu
- Enter your full @extinctionrebellion.uk email address in the 'username' field
- Enter your @extinctionrebellion.uk password in the next field
- Click on 'Add account'
- You should get a confirmation message saying that an email has been sent to your @extinctionrebellion.uk address. Log in to your @extinctionrebellion.uk account and follow the instructions in the email from Google.

If the above information hasn't worked, it's worth checking that the suggested entries haven't changed since this guidance was written. See the section below.

## Find the 'mail client manual settings' from your @extinctionrebellion.uk email account:

The 'mail client manual settings' is the information, specific to your XR email account, that you may need in order to set up external access (Eg: if requested by a provider for whom we've not already given instructions). To find this information (our server URL and port numbers etc):

### Option 1

- Use this only if your account is very new
- Log into your @extinctionrebellion.uk webmail account (see [this page](#))
- The very first email that you recieved when the account was set up should contain relevent 'email configuration settings'
- If you can't find that mail, or if your account is a few months old, try option 2.

### Option 2

- Log into your @extinctionrebellion.uk webmail account (see [this page](#)). You should see a page with 'Webmail' written at the top left. If not, then you're probably in the 'RoundCube' webmail interface, in which case click on the 'CP Webmail' button at the bottom of the left menu to get back to the main CP Webmail page
- Go to the bottom of the CP Webmail page (with 'Webmail' at the top) and click on 'Configure Mail Client' under 'Other Webmail Features'
- You need the details in the blue box under 'Mail Client Manual Settings'

## Footnotes

1. XR-UK also hosts it's own version of Bitwarden (a.k.a. The Vault) upon which your group could store it's passwords. See [this page](#) for more info.



2. @rebellion.earth accounts: When setting up access for an old **@rebellion.earth** email account please just read '@rebellion.earth' in place of all references to '@extinctionrebellion.uk' on this page
- 

This page has been contributed by the [Digital Discussions Applications Team](#).

# Using Email Folders

This page shows how to create and use email folders for your @extinctionrebellion.uk account<sup>1</sup> via our 'Roundcube' Webmail interface. However, if you're [accessing your emails via a third party app](#) using IMAP (not POP3), then you'll be able to carry out these operations via that software also, and changes made there will automatically be copied into the Webmail account.

## Why use folders?

Folders allow you to organise your mails. Our Webmail comes with some folders already created. These are:


- Inbox
- Drafts
- Sent
- Spam
- Deleted items
- Archived

You may want to create extra folders for various reasons such as:


- to group together all mails that relate to a specific campaign/issue
- to group together mails being dealt with by specific activist
- to facilitate the sorting of incoming mail by [using plus-addressing](#)
- to facilitate the sorting of incoming mail by [using filters](#)

## How to create Folders in Webmail

1. Firstly you'll need to [log into Webmail](#).
2. From within Roundcube, click on the 3 dots next to your email name, and then on 'Manage Folders'.



3. With the 'Folders' tab selected (under 'Settings'), click on 'Create'.



4. Enter the folder name (Eg: Outreach) and click on 'Save'.

## NOTES:

1. The information on this page also applies to older @rebellion.earth emails. Just read @rebellion.earth wherever @extinctionrebellion.uk is mentioned.

---

This page has been contributed by the [Digital Discussions Applications Team](#).

# Plus addressing

## What is 'Plus-addressing'?

If your group might benefit from separate addresses for different working groups or campaigns, this can be achieved by using something called 'plus addressing' which permits variations of your main email address to be sent to different folders.

For example, let's assume that Trumpton local group holds the `trumpton@extinctionrebellion.uk` address. Their outreach team could use `trumpton+outreach@extinctionrebellion.uk`. The team would still log in to the main Trumpton account, but rather than their mail being mixed in with everything else in the inbox, it would all be grouped together in the 'Outreach' folder.

In other words, any incoming mail with a 'plus address' that matches a folder name will jump the main 'inbox' and instead be added directly to that folder.

## Prepare your account for plus addressing

Before giving out your 'plus address' you need to **manually create a folder** within 'Roundcube' called (eg:) 'outreach'. You'll then be able to invite people to mail to (eg:) `trumpton+outreach@extinctionrebellion.uk`, and mail to that address will land in the (eg:) outreach folder.

If no matching folder has been created then 'plus address' mail should land in the main 'Inbox' folder. Automatic creation of folders when receiving 'plus addresses' is possible, but we disable that feature by default on account set-up (to avoid the risk of spammers creating havoc in your folder structure).

## Sending from a plus-address

Assuming that you want to be able to send from your plus-address as well as receive mail into it, you'll need to set up an additional 'identity' for your account. In order to do this:

- From within Roundcube: Click on the settings (cog) icon in the left hand column
- Select the 'Identities' tab and then click on 'create' (top row, right)



- Enter the display name for your plus-address account (eg: 'Outreach Team')
- Under 'Email' and 'Reply-To' enter the plus-email address (eg: Trumpton+Outreach@extinctionrebellion.uk)
- Click on 'Save'

Now when you go to compose a new email the plus-address will be amongst the available identities to send from. Click on the default email address that is automatically showing in the 'From' field. In the drop-down menu, select the plus-address identity that you want to send from. The 'Reply-To' field will automatically be updated.

---

This page has been contributed by the [Digital Discussions Applications Team](#).

# Forwarding and filtering @extinctionrebellion.uk emails

This page describes methods of forwarding all, or just certain types, of email onwards from your @extinctionrebellion.uk email accounts<sup>1</sup>. This is an alternative to accessing your mail directly, either [via Webmail](#) or [via an external email client](#)

## Why forward?

Forwarding can permit mail from your @extinctionrebellion.uk email account to be sent to any other email account that your group uses so that all mail is combined in one place. However it has the disadvantage that any replies to emails from those places will not then be from your @extinctionrebellion.uk email account. You might want to consider doing things the other way around, setting your non-xr account to forward into your xr account. For instructions to do that you'll need to check the help pages of your other email provider.

Forwarding can also act as a method of disseminating emails to various different addresses, but if doing that you'll need very clear agreements about which members of your team are dealing with which emails or things may get very confusing! This feature is probably most useful for allowing group members who aren't actively involved with responding to emails to nevertheless be able to monitor ongoing and keep abreast with incoming news.

## Forwarding vs Filtering


Forwarding is more basic than filtering. It's used when you don't want to keep copies of forwarded email in your @extinctionrebellion.uk email account, whereas filtering can send mail onwards whilst also retaining mails in your @extinctionrebellion.uk inbox (or any other folder of your choice). Filtering can also sort emails according to (eg) subject line content or plus-address name, and send mails to different places accordingly.

How to set up 3 scenarios (A to C) is set out below:

**(A) Forward all incoming mail to one or more other email accounts**

If you don't need a copy of the incoming mail to remain in your @extinctionrebellion.uk email account then the easiest way to set up forwarding is as follows:

1. Log in to your accounts 'Webmail Home' page. See [this page](#) if you're unsure how to do this.
2. You should now be on the 'Webmail Home' page of your account which should look like this:



If your account automatically enters the 'Roundcube' inbox page upon login, click on the 'CP Webmail Home' button in the left menu in order to return here.



3. Click on the 'Forwarders' button,
4. On the 'Forwarders' page click on the 'Add Forwarder' button,
5. Enter the email address you want to forward to into the 'Destination - Forward to Email Address' text box,
6. Check that you've typed the email correctly!
7. Click on the 'Add Forwarder' button,
8. Repeat steps 4-7 for any additional email addresses that you also wish to forward to.

## (B) Filtering: Forward mail whilst retaining copies in your @extinctionrebellion.uk inbox

1. Follow steps (1) and (2) in section (A) above.
2. Click on the 'Email Filters' button.
3. On the 'Email Filters' page click on the 'Create a new filter' button.
4. In the 'Filter Name' box enter a description for your filter. Eg: 'Forward all to our Protonmail account'.
5. Under 'Rules' click on the left-hand drop-down menu. It displays 'From' as default: Click on 'Any recipient',
6. You can leave the right-hand drop-down menu as is. It displays 'Contains' as default.
7. Click into the text box below the drop-down menus and enter your @extinctionrebellion.uk email address.
8. Under 'Actions' click on the drop-down menu. It displays 'Discard Message' as default: Click on 'Deliver to Folder' instead. A text box will appear below.
9. Click on the 'Browse' button to the right of the text box, and select 'INBOX' (or whichever folder you want the incoming mail to be stored in).
10. Click on the '+' button to the right of the screen on the 'Actions' line to add a second action.
11. A new drop-down menu (default 'Discard Message') will appear. This time select 'Redirect to Email'.
12. Enter the email address that you want mail to be forwarded to into the text box.
13. If you want mail to be forwarded to any additional addresses repeat steps 10-12.
14. Click on the 'Create' button.



Webmail
97.94 KB / 500 MB
email-admin@extinctionrebellion.uk
LOGOUT

## Email Filters

### Create a New Filter

Please create a filter below. You can add multiple rules to match subjects, addresses, or other parts of the message. You can then add multiple actions to take on a message such as to deliver the message to a different address and then discard it.

**Filter Name**

The filter name must be unique. If you give the filter the same name as another filter, the previous filter will be overwritten.

**Rules**

Any Recipient

contains

email-admin@extinctionrebellion.uk

**Actions**

Deliver to Folder

INBOX

Browse

Redirect to Email

@protonmail.com

Create

## (C) Filtering: Forward only selected types of email

Filtering provides endless possibilities for automatically sorting your incoming mail. This example just looks at how to selectively forward in conjunction with [using plus-addressing](#).

Let's assume that you want to use a plus-address for your Outreach working group (eg: yourgroup+outreach@extinctionrebellion.uk) to automatically forward to the private email of one of the working group members (eg: 'Amber'), and that you have already [created a folder](#) called 'Outreach' in which to store copies of forwarded mail. All other incoming mail is to go to the inbox folder as normal:

- Follow steps (1) to (3) in section B above.
- In the 'Filter Name' box enter a description for your filter. Eg: 'Forward Outreach-WG to Amber'.
- Under 'Rules' click on the left-hand drop-down menu. It displays 'From' as default: Click on 'To'
- You can leave the right-hand drop-down menu as is. It displays 'Contains' as default.
- Click into the text box below the drop-down menus and enter your @extinctionrebellion.uk email plus-address (eg: yourgroup+outreach@extinctionrebellion.uk)

6. Under 'Actions' click on the drop-down menu. It displays 'Discard Message' as default: Click on 'Deliver to Folder' instead. A text box will appear below.
7. Click on the 'Browse' button to the right of the text box, and select (eg:) 'Outreach' (or whichever folder you want the forwarded mail to be copied to)
8. Click on the '+' button to the right of the screen on the 'Actions' line to add a second action.
9. A new drop-down menu (default 'Discard Message') will appear. This time select 'Redirect to Email'.
10. Enter the email address that you want mail to be forwarded to into the text box (eg: ambers\_private@her\_domain.com)
11. If you want mail to be forwarded to any additional addresses repeat steps 8-10.
12. Click on the 'Create' button

The screenshot shows the 'Webmail' interface for 'Email Filters'. At the top, there's a header with 'Webmail', storage usage '202.48 MB / 250 MB', a user email 'southlakes@extinctionrebellion.uk', and a 'LOGOUT' button. The main heading is 'Email Filters'. Below it is 'Create a New Filter' with a subtext: 'Please create a filter below. You can add multiple rules to match subjects, addresses, or other parts of the message. You can then add multiple actions to take on a message such as to deliver the message to a different address and then discard it.'

The form is divided into 'Filter Name', 'Rules', and 'Actions' sections.

- Filter Name:** A text box containing 'Forward Outreach-WG to Amber' is annotated with a large orange '2'. Below it is a note: 'The filter name must be unique. If you give the filter the same name as another filter, the previous filter will be overwritten.'
- Rules:** A dropdown menu is set to 'To' (annotated with orange '3'), followed by 'contains' (annotated with orange '4'). Below this is a text box containing 'southlakes+outreach@extinctionrebellion.uk' (annotated with orange '5'). To the right are minus and plus buttons.
- Actions:** A dropdown menu is set to 'Deliver to Folder' (annotated with orange '6'). To the right are minus and plus buttons (annotated with orange '8'). Below this is a text box containing 'Outreach' (annotated with orange '7') and a 'Browse' button. Another dropdown menu is set to 'Redirect to Email' (annotated with orange '9'). Below this is a text box containing 'ambers\_private@her\_domain.com' (annotated with orange '10'). At the bottom left is a blue 'Create' button (annotated with orange '12'). To the right of the 'Redirect to Email' section are minus and plus buttons.

## NOTES:

1. The above information also applies to older @rebellion.earth emails. Just read @rebellion.earth wherever @extinctionrebellion.uk is mentioned above.
2. 'To' is used here rather than 'Any recipient' because otherwise mail sent to yourgroup@extinctionrebellion.uk and cc-ed to yourgroup+outreach@extinctionrebellion.uk would be caught by the filter and only go to

the Outreach team, missing the main inbox. Using 'To' does mean that any mail cc-ed or bcc-ed to the Outreach team will not get to them automatically (will need to be forwarded manually by whoever checks the main inbox), but this will generally be better than such mail skipping the main inbox.

---

This page has been contributed by the [Digital Discussions Applications Team](#).

# Email account queries & help

If you need help with your XR email account, and you can't find the answer within this chapter of the Rebel Toolkit please contact us either:

- On XR Mattermost chat (preferred): <https://organise.earth/uk/channels/ddat-email-accnt-requests>
- or via email: [email-admin@extinctionrebellion.uk](mailto:email-admin@extinctionrebellion.uk)

# Importing and exporting contacts from webmail

If you want to import contacts to Roundcube, you can use a CSV file (such as can be produced by Excel).

Roundcube requires specific column headings in the CSV file, to match either MS Outlook, Thunderbird or Atmail.

These are:

## MS Outlook 2010

- Anniversary
- Assistant's Name
- Assistant's Phone
- Birthday
- Business City
- Business Country/Region
- Business Fax
- Business Phone
- Business Phone 2
- Business Postal Code
- Business State
- Business Street
- Car Phone
- Categories
- Company
- Department
- E-mail Address
- E-mail 2 Address
- E-mail 3 Address
- First Name
- Gender
- Home City
- Home Country/Region
- Home Fax
- Home Phone

- Home Phone 2
- Home Postal Code
- Home State
- Home Street
- Job Title
- Last Name
- Manager's Name
- Middle Name
- Mobile Phone
- Notes
- Other City
- Other Country/Region
- Other Fax
- Other Phone
- Other Postal Code
- Other State
- Other Street
- Pager
- Primary Phone
- Spouse
- Suffix
- Title
- Web Page

# Thunderbird

- Birth Day
- Birth Month
- Birth Year
- Display Name
- Fax Number
- Home Address
- Home Country
- Home ZipCode
- Mobile Number
- Nickname
- Organization
- Pager Number
- Primary Email
- Secondary Email
- Web Page 1
- Web Page 2
- Work Phone
- Work Address

- Work Country
- Work ZipCode

# Atmail

- Date of Birth
- Email
- Home Mobile
- Home Zip
- Info
- User Photo
- URL
- Work City
- Work Company
- Work Dept
- Work Fax
- Work Mobile
- Work State
- Work Title
- Work Zip

You do not have to include all the fields.

Note that spaces and letter case are significant.